


HARNESS FOR WORK POSITIONING



- *Work Positioning Belt is separately sold.
- *Work Positioning Belt can optionally be attached by the accompanying attachments.
- *Please use this harness together with the following Work Positioning Belt in optional combinations.

TH-564-OT

THIGH BELT: V-Shaped Type

THIGH BUCKLE: Quick Fastening Buckle

BODY BELT: 45mm(W)
CHEST BELT: 30mm(W)

WEIGHT: 1,050g

BELT COLOR: BKR (Front: BLK, Back: RED)

TH-564-OT-OT *Chest D-Ring is included.

THIGH BELT: V-Shaped Type

THIGH BUCKLE: Quick Fastening Buckle

BODY BELT: 45mm(W)
CHEST BELT: 30mm(W)

WEIGHT: 1,250g

BELT COLOR: BKR (Front: BLK, Back: RED)







TH-564-OT-OT

WORK POSITIONING BELT



WP-57C

*For work positioning suspension only.

MODEL NO.	OUTER BELT		
WP-57C	45mm(W) x 1,200mm(L) Steel Buckle		
IN	INNER BELT		
75mm(W) x 650mm(I	650mm(L) D-Ring x1, Square Ring x1		
L	ANYARD	COLOR	
3-strand Vinylon Rope 16mm(■OD		



WP-FC-11

*For work positioning suspension only.

MODEL NO.	OUTER BELT		
WP-FC-11 4	45mm(W) x 1,200mm(L) Steel Buckle		
INI	INNER BELT		
85mm(W) x 650mm(L)	x 650mm(L) D-Ring x1, Square Ring x1		
L	NYARD	COLOR	
3-strand Vinylon Rope 16mm(di	a.) x 2,100mm(L) with snap hook FS-60	■BL5	



WP-12D-5

Rope Bag is included.

MODEL NO.	OUTER BELT		
WP-12D-5 4	45mm(W) x 1,200mm(L) Steel Buckle		
IN	NER BELT	WEIGHT	
85mm(W) x 650mm(L) D-Ring x1, Square Ring x1		1,450g	
L	ANYARD	COLOR	
3-strand Nylon Rope 12mm(di	a.) x 2,100mm(L) with snap hook FS-50	■BL5	



WP-63D-27

MODEL NO.	OUTER BELT			
WP-63D-27 4	45mm(W) x 1,200mm(L) Steel Buckle			
INI	WEIGHT			
85mm(W) x 700mm(L)	2,050g			
LA	COLOR			
3-strand Nylon Rope 16mm(dia.) x 2	2,100mm(L) with snap hook FS-70 and 8-Ring	■OD		



WP-TD-27

Lightweight model.
A red core indicator is inside of the rope.

	MODEL NO.	OUTER BELT			
	WP-TD-27 45m	45mm(W) x 1,200mm(L) Aluminum Buckle			
	INI	WEIGHT			
	100mm(W) x 700mm(L) D-Ring x2, V-Square Ring x1		1,800g		
	LANYARD		COLOR		
3-strand Nylon Rope 16mm(dia.) x 2,100mm(L) with snap hook FS-101-2 and 8-Ring		■BL2			



WP-TD-27K

Lightweight model for Keylock System. A red core indicator is inside of the rope.

MODEL NO.	OUTER BELT		
WP-TD-27K	45mm(W) x 1,200mm(L) Aluminum Buckle		
	INN	ER BELT	WEIGHT
100mm(W) x 750	mm(L)	D-Ring x2, V-Square Ring x1	2,130g
LANYARD			COLOR
3-strand Nylon Rope 16mm(dia.) x 2,100mm(L) with snap hook FS-101-2 and 8-Ring		■BL2	

SLOPE WORKING SYSTEM

RORIP FOR SLOPE WORKING







KS-1 KS-3	KS21-1W

MODEL NO.	APPLICABLE ROPE	AUXILIARY LANYARD	REMARK	WEIGHT
KS-1	16~18mm(dia.)	12mm(dia.) x 400mm(L) with Snap Hook FS-51L 2pcs	For heavy work, with 2nails	1,570g
KS-3	16~18mm(dia.)	12mm(dia.) x 400mm(L) with Snap Hook FS-51L 1pc	For heavy work, with 2nails	1,180g
KS21-1W	16~20mm(dia.)	12mm(dia.) x 400mm(L) with Snap Hook FS-51L 2pcs	For light work, with 1nail	1,260g

SLOPE WORKING SAFETY BELT



MODEL NO.	BODY BELT	SUPPORT BELT	REMARK	WEIGHT
A-1	50mm(W) x 1,200mm(L)	180mm(W) x 1,300mm(L)	For heavy work	1,540g
B-1	50mm(W) x 1,200mm(L)	90mm(W) x 1,300mm(L)	For heavy work	1,200g
E-1	50mm(W) x 1,200mm(L)	100mm(W) x 1,300mm(L)	For light work, Economy Model	1,070g

YOKE PLATE FOR SLOPE WORKING





MODEL NO.	LENGTH	WEIGHT
YS-1	340mm	730g (including Carabiner 2pcs 320g)

ACCESSORIES FOR SAFETY BELTS

TOOL HOLSTER

These are made of cowhide. *Tools are separately sold.



MODEL NO.	DIMENSION	WEIGHT
P-250	205mm x 88mm	100g
P-251	200mm x 115mm	120g
P-252	185mm x 175mm	180g
P-253	195mm x 230mm	210g
P-254	185mm x 245mm	250g
P-255	250mm x 103mm	160g
P-256	300mm x 80mm	270g

TOOL HANGER



MODEL NO.	OPENING	BELT WIDTH	WORKING LOAD	WEIGHT
R-9-45	25mm	45mm	30kg or less	205g
R-20-45	20mm	45mm	30kg or less	260g
R-9L-45	45mm	45mm	50kg or less	305g

TOOL BAG



MODEL NO.	LENGTH	MAIN POCKET	SUB POCKET	WEIGHT
P-285	240mm	170mm(W) / 230mm(D)	160mm(W) / 150mm(D)	240g
P-287	225mm	170mm(W) / 210mm(D)	150mm(W) / 170mm(D)	260g
P-288	320mm	170mm(W) / 240mm(D)	180mm(W) / 190mm(D)	385g

HOOK POUCH



MODEL NO.	MATERIAL
MR-10	Cotton
MRS-41	Nylon
MR-45	Nylon

HOOK HANGER



Snap Hook can be hanged while not using the lanyard.

MODEL NO.	APPLICABLE BELT WIDTH	WEIGHT
R-19	50mm	10g